Foridra S.r.I.			
		Dated 27/04/2017 Printed on 23/05/2017	
TOPTHEF	RM SOLAR 28	Page n. 1/10	
1			
	Safety data sheet		
SECTION 1 Identification of the sub	stance/mixture and of the company/un	dertaking	
	stance/mixture and of the company/an	ucitaking	
1.1. Product identifier Code:	TS28		
Product name	TOPTHERM SOLAR 28		
1.2. Relevant identified uses of the substance or m Intended use	ixture and uses advised against Anti-freeze with corrosion inhibitors. Professional	use	
1.3. Details of the supplier of the safety data sheet			
Name Full address	Foridra S.r.I. SS 16 Adriatica 17/A		
District and Country	60022 Castelfidardo (AN) Italia		
	Tel. 0717211048		
	Fax 0717819950		
e-mail address of the competent person responsible for the Safety Data Sheet	ufficiotecnico@foridra.it		
	-		
1.4. Emergency telephone number			
For urgent inquiries refer to	Centro Antiveleni Ospedale Niguarda +39 02661010	029	
SECTION 2. Hazards identification			
2.1. Classification of the substance or mixture			
The product is not classified as hazardous pursuant to t	he provisions set forth in EC Regulation 1272/2008 (CLF	2).	
However, since the product contains hazardous substant appropriate information, compliant to EC Regulation 190		no. 3, it requires a safety data sheet with	
Hazard classification and indication:			
2.2. Label elements			
Hazard labelling pursuant to EC Regulation 1272/2008	(CLP) and subsequent amendments and supplements.		
Hazard pictograms:			
Signal words:			
Hazard statements:			
EUH210 Safety data sheet available	e on request.		
Precautionary statements:			
2.3. Other hazards			

Foridra S.r.I.	Revision nr. 2
	Dated 27/04/2017
TOPTHERM SOLAR 28	Printed on 23/05/2017
	Page n. 2/10
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%	6.

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

The full wording of hazard (H) phrases is given in sec	tion 16 of the sheet.	
Identification	x = Conc. %	Classification 1272/2008 (CLP)
1,2-PROPANEDIOL		、
CAS 57-55-6	$40 \le x < 50$	
EC 200-338-0		
INDEX -		
Reg. no. 01-2119456809-23-xxxx		
Borax pentahydrate		
CAS 12179-04-3	$1 \leq x < 4$	Repr. 1B H360FD
EC 215-540-4		
INDEX 005-011-02-9		

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

Foridra S.r.I. TOPTHERM SOLAR 28	Revision nr. 2 Dated 27/04/2017 Printed on 23/05/2017 Page n. 3/10

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

Foridra S.r.I.	Revision nr. 2 Dated 27/04/2017
TOPTHERM SOLAR 28	Printed on 23/05/2017
	Page n. 4/10

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

GBR	United Kingdom	EH40/20	05 Workpla	ace exposure lim	nits
1,2-PROPA Threshold I	imit Value				
Туре	Country	TWA/8h		STEL/15min	
	000	mg/m3	ppm	mg/m3	ppm
WEL	GBR	474	150		
Legend:					
(C) = CEILING	; INHAL = Inhalable Fra	ction ; RESP = F	Respirable Fra	action ; THORA =	Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Foridra	S.r.l.
---------	--------

Revision nr. 2

Dated 27/04/2017 Printed on 23/05/2017

TOPTHERM SOLAR 28

Page n. 5/10

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Melting point / freezing point Initial boiling point Boiling range Flash point Evaporation Rate Flammability of solids and gases Lower inflammability limit Upper inflammability limit Upper explosive limit Upper explosive limit Upper explosive limit Vapour pressure Vapour density Relative density Solubility Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties	liquid pink characteristic Not available 9,2-10 -28 °C 100 °C Not available Not applicable Not available Not available Not available Not available Not applicable Not applicable Not available Not available
--	--

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Foridra S.r.I.	Revision nr. 2
	Dated 27/04/2017
TOPTHERM SOLAR 28	Printed on 23/05/2017
	Page n. 6/10
I,2-PROPANEDIOL Hygroscopic.Stable in normal conditions of use and storage. At high temperatures it tends to oxidate to form propionaldehyde and lactic and acetic acid.	
10.2. Chemical stability	
The product is stable in normal conditions of use and storage.	
10.3. Possibility of hazardous reactions	
No hazardous reactions are foreseeable in normal conditions of use and storage.	
I,2-PROPANEDIOL May react dangerously with: acid chlorides,acid anhydrides,oxidising agents.	
10.4. Conditions to avoid	
None in particular. However the usual precautions used for chemical products should be respected.	
10.5. Incompatible materials	
nformation not available	
10.6. Hazardous decomposition products	
I,2-PROPANEDIOL May develop: carbon oxides.	

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

- ACUTE TOXICITY LC50 (Inhalation vapours) of the mixture:Not classified (no significant component) LC50 (Inhalation mists / powders) of the mixture:Not classified (no significant component)
- LD50 (Oral) of the mixture:Not classified (no significant component)
- LD50 (Dermal) of the mixture:Not classified (no significant component)

Foridra S.r.I.		Revision nr. 2 Dated 27/04/2017	
	Printed on 23/05/2017		
SERIOUS EYE DAMAGE / IRRITA RESPIRATORY OR SKIN SENSITI GERM CELL MUTAGENICITYDoes	TOPTHERM SOLAR 28	Page n. 7/10 SS	
	not meet the classification criteria for this hazard class not meet the classification criteria for this hazard class		
STOT - REPEATED EXPOSURED	bes not meet the classification criteria for this hazard class		
ASPIRATION HAZARDDoes not m	eet the classification criteria for this hazard class SECTION 1	2. Ecological Information	
Use this product according to go contaminate soil or vegetation.	od working practices. Avoid littering. Inform the competent aut	thorities, should the product reach waterways or	
12.1. Toxicity Information not available			
12.2. Persistence and degradab	ility		
1,2-PROPANEDIOL			
Solubility in water Rapidly biodegradable	1000 - 10000 mg/l		
12.3. Bioaccumulative potential			
1,2-PROPANEDIOL			
Partition coefficient: n-	-1,07		
octanol/water BCF	0,09		
12.4. Mobility in soil			
1,2-PROPANEDIOL			
Partition coefficient: soil/water	0,46		
12.5. Results of PBT and vPvB a	assessment		
On the basis of available data, the p	roduct does not contain any PBT or vPvB in percentage greater th	an 0,1%.	
12.6. Other adverse effects			
Information not available			

SECTION 13. Disposal considerations

Foridra S.r.l.

Revision nr. 2 Dated 27/04/2017

TOPTHERM SOLAR 28

Printed on 23/05/2017

Page n. 8/10

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Foridra S.r.I.	Revision nr. 2 Dated 27/04/2017
TOPTHERM SOLAR 28	Printed on 23/05/2017
	Page n. 9/10
nformation not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EC: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Contained substance	
Point 30 Borax pentahydrate	
Substances in Candidate List (Art. 59 REACH)	
Borax pentahydrate	
Substances subject to authorisarion (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	
None	
Healthcare controls	
nformation not available	
15.2. Chemical safety assessment	

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 1B	Reproductive toxicity, category 1B
H360FD	May damage fertility. May damage the unborn child.
EUH210	Safety data sheet available on request.

Foridra S.r.I.	Revision nr. 2
	Dated 27/04/2017
TOPTHERM SOLAR 28	Printed on 23/05/2017
	Page n. 10/10

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances) CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

01 / 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 14 / 15.

The following sections were modified: